

**What Is Claimed Is:**

1. A method for identifying an individual who has an altered risk for developing an autoimmune disease, comprising detecting a single nucleotide polymorphism (SNP) in any one of the nucleotide sequences of SEQ ID NOS:1-83 and 167-6607 in said individual's nucleic acids, wherein the presence of the SNP is correlated with an altered risk for autoimmune disease.

2. The method of claim 1 in which the altered risk is an increased risk.

3. The method of claim 2 in which said individual presently has the autoimmune disease.

4. The method of claim 1 in which the altered risk is a decreased risk.

5. The method of claim 1, wherein the SNP is selected from the group consisting of the SNPs set forth in Table 6.

6. The method of claim 1 in which detection is carried out by a process selected from the group consisting of: allele-specific probe hybridization, allele-specific primer extension, allele-specific amplification, sequencing, 5' nuclease digestion, molecular beacon assay, oligonucleotide ligation assay, size analysis, and single-stranded conformation polymorphism.

7. The method of claim 1, wherein said autoimmune disease is rheumatoid arthritis.

8. The method of claim 1, wherein said autoimmune disease is selected from the group consisting of type 1 diabetes, multiple sclerosis, systemic lupus erythematosus, inflammatory bowel diseases, psoriasis, thyroiditis, celiac disease, pernicious anemia,

asthma, vitiligo, glomerulonephritis, Graves' disease, myocarditis, Sjogren disease, and primary systemic vasculitis.

9. An isolated nucleic acid molecule comprising at least 8 contiguous  
5 nucleotides wherein one of the nucleotides is a single nucleotide polymorphism (SNP) selected from any one of the nucleotide sequences of SEQ ID NOS:1-83 and 167-6607, or a complement thereof.

10. The isolated nucleic acid molecule of claim 9, wherein the SNP is selected  
10 from the group consisting of the SNPs set forth in Tables 3 and 4.

11. An isolated nucleic acid molecule that encodes any one of the amino acid sequences in SEQ ID NOS:84-166.

12. An isolated polypeptide comprising an amino acid sequence selected from  
15 the group consisting of SEQ ID NOS:84-166.

13. An antibody that specifically binds to a polypeptide of claim 12, or an  
antigen-binding fragment thereof.  
20

14. The antibody of claim 13 in which the antibody is a monoclonal antibody.

15. An amplified polynucleotide containing a single nucleotide polymorphism (SNP) selected from any one of the nucleotide sequences of SEQ ID NOS:1-83 and  
25 167-6607, or a complement thereof, wherein the amplified polynucleotide is between 16 and 1,000 nucleotides in length.

16. The amplified polynucleotide of claim 15 in which the nucleotide sequence comprises any one of the nucleotide sequences of SEQ ID NOS:1-83 and 167-  
30 6607.

17. An isolated polynucleotide which specifically hybridizes to a nucleic acid molecule containing a single nucleotide polymorphism (SNP) in any one of the nucleotide sequences of SEQ ID NOS:1-83 and 167-6607.

5 18. The polynucleotide of claim 17 which is 8-70 nucleotides in length.

19. The polynucleotide of claim 17 which is an allele-specific probe.

20. The polynucleotide of claim 17 which is an allele-specific primer.

10

21. The polynucleotide of claim 17, wherein the polynucleotide comprises a nucleotide sequence selected from the group consisting of the primer sequences set forth in Table 5 (SEQ ID NOS:6608-6676).

15 22. A kit for detecting a single nucleotide polymorphism (SNP) in a nucleic acid, wherein the kit comprises the polynucleotide of claim 17, a buffer, and an enzyme.

23. A method of detecting a single nucleotide polymorphism (SNP) in a nucleic acid molecule, comprising contacting a test sample with a reagent which  
20 specifically hybridizes to a SNP in any one of the nucleotide sequences of SEQ ID NOS:1-83 and 167-6607 under stringent hybridization conditions, and detecting the binding of the reagent with the nucleic acid molecule.

24. The method of claim 23 in which detection is carried out by a process  
25 selected from the group consisting of: allele-specific probe hybridization, allele-specific primer extension, allele-specific amplification, sequencing, 5' nuclease digestion, molecular beacon assay, oligonucleotide ligation assay, size analysis, and single-stranded conformation polymorphism.

30 25. A method of detecting a variant polypeptide, comprising contacting a reagent with a variant polypeptide encoded by a single nucleotide polymorphism (SNP)

in any one of the nucleotide sequences of SEQ ID NOS:1-83 and 167-6607 in a test sample, and detecting the binding of the reagent to the polypeptide.

26. A method for identifying an agent useful in therapeutically or prophylactically treating rheumatoid arthritis, comprising contacting the polypeptide of claim 12 with a candidate agent under conditions suitable to allow formation of a binding complex between the polypeptide and the candidate agent, and detecting the formation of the binding complex, wherein the presence of the complex identifies said agent.